MITSUBISHI

GOT2000 Series Wireless LAN Communication Unit User's Manual

GT25-WLAN

Thank you for choosing Mitsubishi Electric Graphic Operation Terminal (GOT)

Prior to use, please read both this manual and detailed manual thoroughly to fully understand the product

MODEL	GT25-WLAN-U-JE
MODEL CODE	1D7MM2
IB(NA)-	0800522-M(2202)MEE

© 2013 MITSUBISHI ELECTRIC CORPORATION

●SAFETY PRECAUTIONS●

(Always read these precautions before using this equipment.) Before using this product, please read this manual and the relevant manuals intro-duced in this manual carefully and pay full attention to safety to handle the product

correctly. The precautions given in this manual are concerned with this product. In this manual, the safety precautions are ranked as "WARNING" and "CAUTION".

A WARNING Indicates that incorrect handling may cause hazardous conditions, resulting in death or severe injury.

Indicates that incorrect handling may cause hazardous CAUTION Indicates that incorrect narioing may cause hazardous conditions, resulting in medium or slight personal injury or physical damage.

Note that the $m \Delta$ CAUTION level may lead to a serious accident according to the

Always follow the precautions of both levels because they are important to personal safety.

Please save this manual to make it accessible when required and always forward it to the end user


[DESIGN PRECAUTIONS]

- To maintain the security (confidentiality, integrity, and availability) of the GOT and the system against unauthorized access, DoS⁻¹ attacks, computer viruses, and other cyberattacks from unreliable networks and devices via network, take appropriate measures such as firewalls, virtual private networks (VPNs), and antivirus solutions. Mitsubishi Electric shall have no responsibility or liability for any problems involving GOT trouble and system trouble by unauthorized access, DoS attacks, computer viruses, and other cyberattacks
- *1 DoS: A denial-of-service (DoS) attack disrupts services by overloading systems or exploiting vulnerabilities, resulting in a denial-of-service (DoS)

[INSTALLATION PRECAUTIONS]

- Be sure to shut off all phases of the external power supply used by the system before mounting or removing this unit to/from the GOT. Not doing so can cause a unit failure or malfunction.

2) GOT action mode: station The GOT operates as a station (client) to connect to a wireless LAN access point (base station). Other stations (clients) such as a personal computer ca communicate with the GOT through the wireless LAN access point (base



GOT2000 Series User's Manual (Hardware) For the setting and system configuration of wireless LAN function, refer to the

IIII GT Designer3 (GOT2000) Screen Design Manual GOT2000 Series User's Manual (Utility)

GOT2000 Series Connection Manual (Microcomputers, MODBUS/Fieldbus Products, Peripherals) For GT Works3 Version1

2. SPECIFICATIONS

2. SPECIFICATIONS
The following shows the performance specifications of the wireless LAN communication unit. The general specifications of the wireless LAN communication unit are the same as those of the GOT.
For the general specifications of the GOT, refer to the following. IIII GOT2000 Series User's Manual (Hardware) Use compatible versions of the screen design software and BootOS.

Screen design software GT Works3 Version1.105K or later (for use as a station (client)) GT Works3 Version1.144A or later (for use as an access point (base station) or a station (client)) - BootOS : Version C or later

INSTALLATION PRECAUTIONS1

A CAUTION

- Use this unit in the environment that satisfies the general specifications described in the GOT2000 Series User's Manual (Hardware). Not doing so can cause an electric shock, fire, malfunction or product damage of deterioration Do not drop the unit or subject it to string shock. A unit damage may result When installing this unit to the GOT, fit it to the side interface of GOT and
 - When the GOT is installed vertically, its side interface is positioned on the New York of the term of term of the term of term of
- bottom. To prevent the falling of the wireless LAN communication unit from the side interface, install or remove the unit while holding it with hands. Undertightening can cause a drop, failure or malfunction. Overtightening can
- cause a drop, failure or malfunction due to screw or unit damage [STARTUP AND MAINTENANCE PRECAUTIONS]

- Before starting cleaning, always shut off GOT power externally in all phases Not doing so can cause a unit failure or malfunction. Undertightening can cause the GOT to drop, short circuit or malfunction. Overtightening can cause a short circuit or malfunction due to the damage of
- the screws or unit.
- Do not disassemble or modify any unit. This will cause failure, malfunction, injuries, or fire.
- Do not touch the conductive areas and electronic parts of this unit directly. Doing so can cause a unit malfunction or failure.

Always make sure to touch the grounded metal to discharge the electricity charged in the body, etc., before touching the unit. Failure to do so may cause a failure or malfunctions of the unit.

[PRECAUTIONS FOR REMOTE CONTROL]

- Remote control is available through a network by using GOT functions, including theSoftGOT-GOT link function, the remote personal compute operation function, the VNC server function, and the GOT Mobile function If these functions are used to perform remote control of control equipment the field operator may not notice the remote control, possibly leading to an accident
- In addition, a communication delay or interruption may occur depending on the network environment, and remote control of control equipment cannot be performed normally in some cases.

Before using the above functions to perform remote control, fully grasp the circumstances of the field site and ensure safety.

[DISPOSAL PRECAUTIONS]

Dispose of this product as industrial waste

[TRANSPORTATION PRECAUTIONS]


- Make sure to transport the GOT main unit and/or relevant unit(s) in the manner they will not be exposed to the impact exceeding the impact resistance described in the general specifications of the User's Manual for the GOT used, as they are precision devices.
 Failure to do so may cause the unit to fail.
 Check if the unit operates correctly after transportation.
 When furnigants that contain halogen materials such as fluorine, chlorine, bromine, and iodine are used for disinfecting and protecting wooden packaging from insects, they cause matfunction when entering our products.
 Please take necessary precautions to ensure that remaining materials from fumigant on the entering our products, or treat packaging with methods other than funging in (heat method).
 Additionally, disinfect and protect wood from insects before packing products

Before Using the Product

[Precautions for Use]

- Do not modify this wireless LAN communication unit in any way. Doing so is prohibited by the Japan Radio Law. Data transfer in wireless LAN communication may not be as stable as that in cable
- munication A packet loss may occur depending on the surrounding environment and
- e installation locatior Be sure to perform a confirmation of operation before using this product.
- *9 The product with hardware version G or later (manufactured from October 2021) complies with the regulation. The product with hardware version G or later can be used in Japan, the United States, the EU member states, the UK, Switzerland, Norway, Iceland, Liechtenstein, China (excluding Hong Kong, Macao, and Taiwan), and South

3. PART NAMES AND EXTERNAL DIMENSIONS



No.	Name	Description
1)	Mounting screw	Screw for fixing the GOT
2)	Rating plate	-
3)	Locating lug	Locating lug fit into the locating groove of the GOT
4)	Extension connector	Extension connector connected to the side interface of the GOT

[Precautions for radio-frequency interference]

- (Precautions for radio-frequency interference)
 1) This product operates in the 2.4 GHz band, which is used for industrial, scientific and medical applications (such as microwave overs), customer-premises radio stations for identifying mobile units (licensed), specific low-power radio stations for identifying mobile units (specific low-power radio stations for identifying mobile units, specific low-power radio stations are not operational near the product.
 2) Before using this product, make sure that customer-premises radio stations for identifying mobile units, specific low-power radio stations are not operational near the product.
 3) In the event that this product causes harmful radio-frequency interference with a customer-premises radio station for identifying mobile units, immediately stop the emission of radio waves and take countermeasures to prevent interference, such as changing the frequency and teaction of the product.
 4) Contact your local sales office if you have any problems caused by this product, such as harmful radio-frequency interference with the radio stations mentioned above.

[Security Precautions]

Wireless LAN uses radio waves instead of LAN cables to send and receive data between a computer and a wireless LAN access point, making it possible to freely establish a LAN connection within a range of the radio waves. However, radio waves can be received through obstacles, such as walls, when withis the received and the received through obstacles. within the range. Therefore, if security settings are not made, the following problems may occur.

- Unauthorized viewing of data An unauthorized third party can intercept the radio waves and sneak a look at user ID and password.
- Unauthorized access An unauthorized third party can access network and cause the following damage:

cepting personal information and confidential information (information

Using a false identity to communicate and disclose information illegally

(identity theft) Changing and transmitting intercepted data (tampering) Damaging data and systems by spreading a computer virus (destruction)
 The wireless LAN communication unit and wireless LAN access point have security features to context the access point have security

features to counter these problems. Configuring the security settings before using the wireless LAN equipment can help to preven these problems from occurring. The security settings of the wireless LAN equipment are not configured at the time

of purchase. To reduce security problems, configure all security settings of the wireless LAN equipment according to the manual before using the wireless LAN communication unit and wireless LAN access point. Please be aware that the security settings do not provide complete security protection due to wireless LAN specifications. If you are unable to configure the security settings yourself, please contact your local euthorized dealer. of purchase

- local authorized dealer.

The customer is responsible for configuring the security settings and understanding the risks inherent in using the product without the security settings configured

Manuals	
he following shows manuals relevant to this produ	ct.
Manual name	Manual number (Model code)
GOT2000 Series User's Manual (Hardware) (Sold separately)	SH-081194ENG (1D7MJ5)
GOT2000 Series User's Manual (Utility) (Sold separately)	SH-081195ENG (1D7MJ6)
GOT2000 Series Connection Manual (Microcomputers, MODBUS/Fieldbus Products, Peripherals) For GT Works3 Version1	SH-081200ENG
For detailed manuals and relevant manuals, refer to manuals stored in the DVD-ROM for the screen de	
The latest manuals are also available from MITSUE	SISHI ELECTRIC FA GIO

Compliance with the new China RoHS directive GOT 相关的基于" 电器电子产品有害物质限制使用管理办法" 要求的表示方法




Website (www.MitsubishiElectric.com/fa).

Note: This symbol mark is for China only.

含有有害 6 物质的名称、含有量、含有部件 本产品中所含有的有害 6 物质的名称、含有量、含有部件如下表所示。 产品中有害物质的名称及含量

	有害物质					
部件名称	铅	汞	镉	六价铬	多溴联苯	多溴二苯醚
	(Pb)	(Hg)	(Cd)	(Cr(VI))	(PBB)	(PBDE)
电路板组件	×	0	0	0	0	0

unting screws (2 places) of the wireless LAN communication un llips screwdriver and a torque of 0.10N•m to 0.14N•m to fix the a No.1 Phillips



4.2 Unit Removal For removing the wireless LAN communication unit, reverse the procedure of the netallatio

5. RE Directive/Radio Equipment **Regulations (UKCA)**

5.1 RE Directive

EU Declaration of Conformity

部件名称 名追联苯 六价铬 Cr (VI) 脂壳体、电缆、膜材

 茶格依據 51/11364 的瘦定編制。
 : 表示该有害物质在该部件所有均质材料中的含量均在 GB/T26572 规定的限量要
 求以下。
 ; 表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T26572 规定的
 ï=====4
 ; × :

Referenced Standard: GB/T15969.2

Vireless LAN communication unit

Packing List

FCC Part 15 Notice

undesired operation.

operate to the equipment.

1. OVERVIEW

in wireless LAN communication.

1) GOT action mode: access point

Access point (base station)

GOT

UK Declaration of Conformity

MITSUBISH ELECTRIC

Address (Place of Der

Type of Model Notice

to which this declaration relates is in conformity wit

The Radio Equipment Regulations 2017

(Regulation 6.1(a)) The Radio Equipment Regulations 2017

(Regulation 6.1(b)) The Radio Equipment Regulations 2017

Issue Date (Date of Declaration): 8 Dec. 202

(Signature) Attantic Omis 843

[Atsuko Onishi] General Manager, HMI System Dept. MITSUBISHI ELECTRIC CORPORATION NAGOYA WORKS

Signed for and on behalf of

FCC CAUTION

included

Model

GT25-WLAN

(Requirement of Chinese standardized law)

After unpacking the box, check that the following products are

Product

GOT2000 シリーズ無線 LAN 通信ユニット取扱説明書 / GOT2000 Series Wireless LAN Communication Unit User's Manu This manual)

)T2000 系列无线局域网通讯模块使用说明书 /GOT2000 시리즈 무 ! LAN 통신 장치 사용자 매뉴얼

This device complies with part 15 of the FCC Rules. Operation is

subject to the following two conditions: (1) This device may not

cause harmful interference, and (2) this device must accept any interference received, including interference that may cause

Change or modifications not expressly approved by the party responsible for compliance could void the user's authority to

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment and meets the FCC radio frequency(RF) EXposure Guidelines in Supplement C to OET65.

This equipment should be installed and operated keeping the

This user's manual describes the GOT2000 Series wireless LAN communication

The wireless LAN communication unit is used to perform the operations such as transferring data from a personal computer to the GOT or FA transparent function

radiator at least 20cm or more away from person's body

(excluding extremities:hands, wrists, feet and ankles).

unit (hereinafter referred to as the wireless LAN communication unit).

The GOT operates as a wireless LAN access point (base station) to communicate with other stations (clients) such as a personal computer

•)))

⇐□ GT25-WLAN

5.2 Radio Equipment Regulations (UKCA)

UK DECLARATION OF CONFORMITY

: TOKYO 100-8310, JAPAN

MITSUEISHI bility that the produ GOT2000 Series

GT25-WLAN

The Resultation 6.2)
The Restriction of the Use of Certain Hazardous
EN IEC 63000:2018
Entertain Electronic Equipment

MITSUBISHI ELECTRIC CORPORATION

and technical specifications EN 62368-1:2014+A11:2017

BCN-P9999-2923-

EN 62368-12014+A11: EN 62311:2008 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.4 EN 300 328 V2.2.2

This transmitter must not be co-located or operated in

conjunction with any other antenna or transmitter.

Quantity

1

1

1

Station (client)

Smartphone

Station (client)

Personal compute

1)

(((•

Item		Specifications	
	Standard ^{*1}	IEEE802.11b/g/n compatible	
	Channel	11ch (1 to 11ch)	
	Data rates ^{*2}	IEEE802.11b: up to 11Mbps IEEE802.11g: up to 54Mbps IEEE802.11n: up to 72.2Mbps	
	Maximum RF power	15dBm±2dB	
Wireless I AN	Bandwidth (Center frequency)	2412 to 2462 MHz	
communication	Wireless connection mode	Infrastructure mode	
specifications	Security ^{*3}	64bit/128bit WEP WPA-PSK(TKIP, AES) WPA2-PSK(TKIP, AES)	
	Number of antennae	1 (Build-in chip antenna)	
	Action mode	Access point (base station), station (client) *4	
	Maximum number of connectable stations (GOT action mode: access point)	5	
Internal current consumption 3.3VDC		0.4A	
Weight		0.01kg	
Compliance with		Japan Radio Law ^{*5} , FCC standards ^{*6} , RE Directive ^{*8} (R&TTE Directive ^{*6}), SRRC ^{*7} , KC ^{*7} , Radio Equipment Regulations (UKCA) ^{*9}	

- *1 IEEE802.11n only supports 2.4-GHz-bandwidth. *2 The values of data rates (11Mbps and others), used in this document and setting screen, are the theoretical maximum of the wireless LAN standar
- setting screen, are the theoretical maximum of the wireless LAN standard. These values do not indicate the effective data rates. *3 When security authentication is performed by WEP or TKIP method, the wireless LAN communication unit cannot communicate by IEEE802.11n. To communicate by IEEE 802.11n, perform the security authentication by WPA-PSK(AES) or WPA2-PSK(AES) method. *4 A wireless LAN access point (commercial product) compatible with IEEE802.11b/g/n standards is required separately. *5 The product with hardware version A can be used only in Japan.

The product with hardware version A can be used only in Japan. *6 The product with hardware version B or later (manufactured from October 2014) lies with the regulation


complies with the regulation. The product with hardware version B or later can be used in Japan, the United States, the EU member states, Switzerland, Norway, Iceland, and Liechtenstein. *7 The product with hardware version D or later (manufactured from May 2016) complies with the regulation. The product with hardware version D or later can be used in Japan, the United States, the EU member states, Switzerland, Norway, Iceland, Liechtenstein, China (excluding Hong Kong, Macca, and Taiwan), and South Korea. *8 The product complies with the RE Directive from March 31, 2017.

4. INSTALLATION AND REMOVAL PROCEDURE

4.1 Unit Installation

wireless LAN communication unit is explained using the GT2712.

1) Turn off the GOT. 2) Remove the side de interface cover of the GOT.



3) Fit the locating lug of the wireless LAN communication unit into the locating groove of the GOT, and install the wireless LAN communication unit to the tension connecto

			RIC
Changes	for	the	Better

EU DECLARATION OF CONFORMITY

CE

We,			BISHI ELECTRIC CORPORATION		
Manufactur	rer :	MIISU	BISHI ELECTRIC CORPORATION	•	
Address (Place of D	eclare) :	TOKYC	0 100-8310, JAPAN		
Brand Nam	ne :	A #	itsubishi Lectric		
declare under our	sole respons	ibility that	the product		
Description	1 :	Wireles	s LAN Communication Unit		
Type of Mo	del :	GT25-\	MLAN		
Notice	:	N/A			
to which this decla	aration relates	is in con	formity with the following standard	and directive.	
Directive	Tenates		Harmonized Standard	No	otifi

RE Directive	2014/53/EU	EN 62368-1:2014	
(Article 3.1(a))		EN 62311:2008	
RE Directive	2014/53/EU	EN 301 489-1 V2.2.3	-
(Article 3.1(b))		EN 301 489-17 V3.2.4	
RE Directive (Article 3.2)	2014/53/EU	EN 300 328 V2.2.2	-
RoHS Directive	2011/65/EU, (EU)2015/863	EN IEC 63000:2018	

Europe mpile the Technical file or relevant Technical do eting, Director, MITSUBISHI ELECTRIC EUROPE B.V., German Branch c-Platz 1, 40882 Ratingen, Germany

(1/1)

Signed for and on behalf of

ure) APInto Orighi

[Atsuko Onishi] General Manager, HMI System Dept. MITSUBISHI ELECTRIC CORPORATION

6. PRECAUTIONS

To use the wireless LAN communication unit, installing the system application and setting the controller are required.

Page 1 of 1

For the settings and system configuration, refer to the following

GOT2000 Series Connection Manual (Microcomputers, MODBUS/Fieldbus Products, Peripherals) For GT Works3 Version1

Warranty

Mitsubishi Electric will not be held liable for damage caused by factors found not to be the cause of Mitsubishi Electric; machine damage or lost profits caused by faults in the Mitsubish Electric products; damage, secondary damage, accident compensation caused by special factors unpredictable by Mitsubishi Electric; damages to products other than Mitsubishi Electric products; and to other duties.

A For safe use

- This product has been manufactured as a general-purpose part for general industries, and has not been designed or manufactured to be incorporated in a device or system used in purposes related to human life.
- Before using the product for special purposes such as nuclear power, electric power, aerospace, medicine or passenger movement vehicles, consult with Mitsubishi Electric.
- This product has been manufactured under strict quality control. However, when installing the product where major accidents or losses could occur if the product where major accidents or failsafe functions in the system.

MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE : TOKYO BUILDING, 2-7-3 MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN NAGOYA WORKS : 1-14, YADA-MINAMI 5-CHOME, HIGASHI-KU, NAGOYA, JAPAN

n exported from Japan, this manual does not require application to the Ministry conomy, Trade and Industry for service transaction permission.

Specifications subject to change without notice. Printed in Japan, February 2022.