


Partner Product

EBG 227-EN



LV Switchgear

Modular Enclosure Systems

Approved solutions to EN 61439-1/2
Meeting demanding safety standards



e-Factory
Partner Product

LATEST STANDARDS

Guaranteed approval to EN 61439-1/2

IMPROVED QUALITY

Best of breed ASTA certified ACBs and MCCBs

MORE FLEXIBILITY

Optimal configuration of systems

Meeting demanding safety standards



Modular enclosure solutions

Guaranteed safety

Low voltage switchgear products and assembled panels for use in applications such as water treatment, machine construction, process industries, building distribution systems and the chemical industries have to undergo rigorous safety approvals, to demonstrate high levels of user protection and systems safety under conditions of fire, over-voltage, over-current events and general misuse, taking into account that personnel of varying skill levels may have access to the panel.

This can be something of a challenge to designers and installers of low voltage switchgear and control gear assemblies. But a solution comes in the form of flexible, modular enclosure systems, built around type tested devices, that offer ASTA certification and conformance to EN 61439-1/2 as standard.

Modular solution

An enclosure system that provides a modular system for the assembly type tested low voltage switchgear and control gear offers numerous benefits to the installer. The flexible combination of sections allow for optimal configuration of the system, while the use of pre-approved devices delivers guaranteed conformance with the most demanding safety standards.

To meet user requirements for just such systems, Mitsubishi Electric in conjunction with its e-F@ctory partner Rittal, the enclosure specialists have developed a modular solution utilising Rittals Ri4Power Structured System and Mitsubishi's innovative low voltage switchgear. The Ri4Power form 2-4 system has been designed for the fast and reliable construction of low voltage switchgear systems for machines, plants, buildings and motor control systems, for loads up to 3200 A. The system is ASTA certified, and is type tested in accordance with EN 61439-1/2 to guarantee the highest safety standards in power distribution.

Ri4Power provides easy planning, simple handling, perfect installation and a high degree of modularity. The system is built around Rittal's TS8 modular enclosures. Their dimensions and expandability offer complete flexibility, while divided interiors allow the internal space to be internally adapted to the function-related switchgear installation.


This new concept in installation technology and multifunctional components makes it possible to install the inside equipment of a low-voltage plant in just a few operations. Available as "flat pack" or assembled as steel work and copper, Ri4Power represents a flexible approach to motor control centres and distribution boards.

Type tested components

A key aspect of the system is that it is built around Mitsubishi's type-tested low voltage switchgear products. These air circuit breakers and motor control circuit breakers are approved in accordance with EN 61439-1/2 and ASTA. The Ri4Power enclosures are built around these products and are certified as a "type tested switchgear and control gear assembly" in accordance with EN 61439-1/2.



Mitsubishi's fully approved Air Circuit breakers and MCCB's



A complete enclosure solution

Users can turn to Ri4Power knowing that all system components – cabinet, busbar, control gear, switchgear, safety devices, etc – have been tested together to guarantee the required levels of safety for the protection of devices and personnel of any skill level to the highest and most stringent international standards

Rittal is the largest cabinet manufacturer in Europe, but the Ri4Power systems take the company's enclosure solutions to a new level. With the ability to supply type tested assemblies built around Mitsubishi's low voltage switchgear means a complete solution can now be supplied, making it easy for users to select best of breed components and systems with the assurance that all possible safety requirements have been satisfied.

Specifications ///

Type	AE1000-SW	AE1250-SW	AE1600-SW	AE2000-SWA	AE2000-SW	AE2500-SW	AE3200-SW	AE4000-SWA	AE4000-SW	AE5000-SW	AE6300-SW												
Frame type	1				2				3														
Rated current Iu (A) 40 °C	1000	1250	1600	2000	2000	2500	3200	4000	4000	5000	6000												
Max. rated operational voltage Ue (V)	690				690				690														
Rated insulation voltage Ui (V)	1000				1000				1000														
Rated impulse withstand voltage Uimp(kV)	12				12				12														
Suitable for isolation	yes				yes				yes														
Category	B				B				B														
Pollution degree	3				3				3														
Number of poles	3	4	3	4	3	4	3	4	3	4	3	4	3	4	3	4							
Rated current Ir (A) adjustment range at 40 °C	500–1000		325–1250		800–1600		1000–2000		625–2000		1250–2500		1600–3200		2000–4000		2000–4000		2500–5000		3150–6300		
Rated current of neutral pole (A)	1000		1250		1600		2000		2000		2500		3200		4000		2000		2500		3150		
Rated service short-circuit breaking capacity ^① Icu (kA, rms) Ics=Icu=100%	690 V AC				65				75				85										
	400 V AC				65				85				130										
Rated short-timewithstand current (kA rms) Icw	1 s				65				75				100										
Operating cycles ^② (ON/OFF)	without rated current				25000				20000				10000 (3P)/5000 (4P)										
Connecting terminal	horizontal	yes				no				yes				no									
	vertical	yes ^③				yes				yes ^③				yes									
	frontal	yes ^③				no				yes ^③				no									
Outline dimensions (mm) HxWxD	fixed type	3-pole: 410x340x290 4-pole: 410x425x290								3-pole: 410x475x290 4-pole: 410x605x290				3 pole: 414x873x290 4 pole: 414x1003x290									
	draw-out type	3-pole: 430x300x368 4-pole: 430x385x368								3-pole: 430x435x368 4-pole: 430x565x368				3-pole: 430x439x368 4-pole: 430x569x368				3 pole: 480x875x368 4 pole: 480x1005x368					
Weight (kg)	fixed type	41	51	41	51	42	52	47	57	60	72	61	73	63	75	81	99	160	180	160	180	160	180
	draw-out type	64	78	64	78	65	79	70	84	92	113	93	114	95	116	108	136	233	256	233	256	240	263
	cradle only	26	30	26	30	26	30	31	35	35	43	35	43	36	44	49	61	118	133	118	133	125	140

① Conforms to IEC 60947-2, EN 60947-2

② Number of mechanical operating cycles (on/off).

③ Optional

EUROPEAN BRANCHES

MITSUBISHI ELECTRIC EUROPE B.V. Gothaer Straße 8 D-40880 Ratingen Phone: +49 (0)2102 / 486-0	GERMANY
MITSUBISHI ELECTRIC EUROPE B.V.-org.sl. CZECH REP. Radlická 714/113a CZ-158 00 Praha 5 Phone: +420 - 251 551 470	CZECH REP.
MITSUBISHI ELECTRIC EUROPE B.V. 25, Boulevard des Bouvets F-92741 Nanterre Cedex Phone: +33 (0)1 / 55 68 55 68	FRANCE
MITSUBISHI ELECTRIC EUROPE B.V. Viale Colleoni 7 I-20041 Agrate Brianza (MB) Phone: +39 039 / 60 53 1	ITALY
MITSUBISHI ELECTRIC EUROPE B.V. Krakowska 50 PL-32-083 Balice Phone: +48 (0)12 / 630 47 00	POLAND
MITSUBISHI ELECTRIC EUROPE B.V. 52, bld. 3 Kosmodamianskaya nab 8 floor RU-115054 Moscow Phone: +7 495 721-2070	RUSSIA
MITSUBISHI ELECTRIC EUROPE B.V. Carretera de Rubi 76-80 E-08190 Sant Cugat del Vallés (Barcelona) Phone: 902 131121 // +34 935653131	SPAIN
MITSUBISHI ELECTRIC EUROPE B.V. Travellers Lane UK-Hatfield, Herts. AL10 8XB Phone: +44 (0)1707 / 27 61 00	UK

EUROPEAN REPRESENTATIVES

TEHNIKON Oktyabrskaya 16/5, Off. 703-711 BY-220030 Minsk Phone: +375 (0)17 / 210 46 26	BELARUS	T00 Kazpromavtomatika Ul. Zhambyla 28 KAZ-100017 Karaganda Tel: +7 7212 / 50 10 00	KAZAKHSTAN	Fonseca S.A. R. João Francisco do Casal 87/89 PT-3801-997 Aveiro, Esigueira Phone: +351 (0)234 / 303 900	PORTUGAL	INEA d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8100	SLOVENIA	CSC Automation Ltd. 4-B, M. Raskovoyi St. UA-02660 Kiev Phone: +380 (0)44 / 494 33 55	UKRAINE	CEG INTERNATIONAL Cebaco Center/Block A Autostrade DORA Lebanon - Beirut Phone: +961 (0)1 / 240 430	LEBANON
Koning & Hartman b.v. Woluwelaan 31 BE-1800 Vilvoorde Phone: +32 (0)2 / 257 02 40	BELGIUM	RIFAS UAB Tinklu g. 29A LT-5300 Panevezys Phone: +370 (0)45 / 582 728	LITHUANIA	Sirius Trading & Services Aleea Lacul Morii Nr. 3 RO-060841 Bucuresti, Sector 6 Phone: +40 (0)21 / 430 40 06	ROMANIA	EURO ENERGY COMP. AB Järnvägsgratan 36 SE-434 24 Kungälv Phone: +46 (0)300 / 69 00 40	SWEDEN	GINO INDUSTRIES LTD. 26, Ophir street IL-32235 Haifa Phone: +972 (0)4 / 867 06 56	ISRAEL	CBI Ltd. Private Bag 2016 ZA-1600 Isando Phone: +27 (0)11 / 977 0770	SOUTH AFRICA
INEA BH d.o.o. Aleja Lipa 56 BA-71000 Sarajevo Phone: +387 (0)33 / 921 164	BOSNIA AND HERZEG.	ALFATRADE Ltd. 99, Paola Hill Malta-Paola PLA 1702 Phone: +356 (0)21 / 697 816	MALTA	Craft Con. & Engineering d.o.o. Bulevar Svetog Cara Konstantina 80-86 SER-18106 Nis Phone: +381 (0)18 / 292-24-4/5	SERBIA	TRIELEC AG Mühlentalstr. 136 CH-8200 Schaffhausen Phone: +41 (0)52 / 625 84 25	SWITZERLAND	GTS Bayraktar Bulvarı Nutuk Sok. No:5 TR-34775 Yukarı İSTANBUL Phone: +90 (0)216 526 39 90	TURKEY		
AutoCont C.S. s.r.o. Technologická 374/6 CZ-708 00 Ostrava-Pustkovec Phone: +420 595 691 150	CZECH REPUBLIC	INTEHISIS srl bld. Traian 23/1 MD-2060 Kishinev Phone: +373 (0)22 / 66 4242	MOLDOVA	SIMAP s.r.o. Jána Derku 1671 SK-911 01 Trenčín Phone: +421 (0)32 743 04 72	SLOVAKIA	PROCONT, spol.s.r.o. Prešov Kúpeľná 1/A SK-080 01 Prešov Phone: +421 (0)51 7580 611	SLOVAKIA				
KALAMARAKIS-SAPONAS S.A. Ionias & Neromilou Str. GR-13671 Cham. Acharnes Athens Phone: +30 (0)2102 / 406000	GREECE	IMTECH M & O B.V. Sluisjesdijk 155 NL-3087 AG Rotterdam Phone: +31 (0)10 / 487 19 11	NETHERLANDS	SCANELEC AS Leirvikasen 43B NO-5179 Godvik Phone: +47 (0)55 / 50 60 00	NORWAY						
UTECO 5, Mavrogenou Str. GR-18542 Piraeus Phone: +30 211 / 1206 900	GREECE	MELTRADE Kft. Fertő utca 14. HU-1107 Budapest Phone: +36 (0)1 / 431-9726	HUNGARY								