

FX3G/C

MELSEC Compact PLC

Extending your options
A new choice for comprehensive machine control



Applies the proven FX3U design to smaller but performance critical applications



Add a variety of capabilities to suit specific application needs



Builds on existing FX series hardware and programming for quick adoption and investment protection



Direct control of inverter and motion control systems with no extra hardware

FX3 power, compressed



FX3G has the versatility to handle applications from a wide range of industries.



Precise motor control with digital links



Mitsubishi Electric Corporation Himeji Works is a factory certified for ISO14001 (standards for environmental management systems) and ISO9001 (standards for quality assurance management systems)



Feel our strength

Mitsubishi Electric is the undisputed world leading supplier of compact PLCs. We originated the concept of this type of controller over thirty years ago. Our global installed base exceeds 12 million systems and our philosophy of listening to customer needs insures this base continues to grow. The introduction of the FX3U PLC set a new benchmark for performance and flexibility in the compact PLC market and we have continued to innovate. The result is the FX3G, our new answer to applications needing FX3U like capabilities in smaller scale systems.

More for less

While being intended for smaller systems, the FX3G still delivers a powerful combination of essential features, plus more not expected from a controller at this level.

These include; a large program memory to implement sophisticated algorithms, ample space for data storage, logging or recipes, plus high speed execution to enhance system productivity. A dual bus architecture provides flexible expansion possibilities for additional I/O capacity and communication functions.

Easy system integration

The FX3G can operate as a standalone controller, but for when integration with other system components is required, a range of standard features makes it stand out from the crowd. Mitsubishi Electric builds in standard instructions that permit easy control of our inverters over a precise, reliable digital link. This makes it simple to connect an inverter such as a FR-D700 SC to provide more precise motor operation while optimizing energy use.

Motion control is also simple to implement. The FX3G provides direct control of up to three independent axes without any additional hardware. Hence cost effective multi-axis systems can be built without requiring a costly controller overhead.



Direct motion control of up to three axes without further hardware

Easy expansion

When it comes to increasing the capabilities of an FX3G, we extend your options while protecting your skills and investments. The dual bus architecture provides twice as many expansion possibilities compared to previous designs. On one bus, the FX3G uses additional, familiar FX family I/O and special function blocks to add a comprehensive variety of I/O and special function capabilities such as analogue and networking. On the other system bus, the FX3G uses the existing FX3U special adapters to provide high performance communication and analog capabilities that are directly linked to the CPU. This reduces programming while increasing performance, leading to faster development and higher productivity.

The great communicator


Finally, the FX3G offers you a wide selection of options when it comes to networking and communications. This begins with standard serial communication support and builds up to comprehensive coverage of common open automation networks. These include CC-Link, CANopen, Profibus DP and Ethernet. Further, a built-in USB port makes convenient connection to any PC or laptop for high speed program uploads and downloads along with monitoring.

All the power in a compact size

In response to customer demands for a high performance, ultra compact PLC for very small control panels, Mitsubishi offers a small footprint version of the FX3G series: the FX3GC. This ultra compact PLC offers the same functionality and all the power, sophistication and processing capability as the 32 I/O FX3G CPU, but in one quarter of the size. It is also fully compatible with existing FX2N/FX3U modules and uses the same cables and terminal blocks as the larger FX3UC.



Comprehensive open network connectivity support



The FX3G makes building complete systems easy.

The FX3GC is ideal for applications where space is minimal and power requirements are low, but without compromising the usability of the PLC system. Comprising an all in one CPU, power supply and I/O also means that this super compact product reduces installation space, wiring time and potential wiring faults, making it ideal for busy machine builders.



Application in smallest space: the FX3GC

Specifications


Specifications	FX3G-14M□	FX3G-24M□	FX3G-40M□	FX3G-60M□	FX3GC-32M□
I/O points	256 total (combined local and CC-Link remote I/O)				
Address range	Max. 128 direct addressing and max. 128 remote I/O				
Power supply	24 V DC (+20 %/-15%) or 100–240 V AC (+10 %/-15 %), 50/60 Hz				24 V DC
Program memory	32,000 steps EEPROM (internal), exchangeable EEPROM memory cassette with loader function				
Instruction Time	0.21 μs or 0.42 μs/contact instruction				
Integrated inputs	Number of inputs	8	14	24	36
	Input signal voltage	24 V DC (±10 %)			
	Input form	sink/source			
	Response time	Approx. 10 ms			
	Isolation	Photocoupler isolation			
Integrated outputs	Number of outputs	6	10	16	24
	Switching voltage	<240 V AC, <30 V DC (relay output), 5–30 V DC (transistor output)			
	Output type/form	Relay or transistor			Transistor
	Max. load	resistive	2 A/point, max. 8 A total (relay), 0.5 A/point; max. 0.8 A for 4 output points/common terminal (transistor)		
		inductive	80 VA (relay), 12 W/point (at 24 V DC); max. 19.2 W for 4 output points/common terminal (transistor)		
	Response time	10 ms (relay), <5 μs (for Y000 and Y001)/0.2 ms (for all other outputs) (transistor)*			
	Isolation	Photocoupler isolation			
High-speed counters	21 total, with 16 1-phase (C235–C250) and 5 2-phase (C251–C255)				
High-speed outputs	-2,147,483,648–2,147,483,647				
24V DC service power supply	400 mA				
Environment	0–55 °C ambient temperature; 5–95 % relative humidity				

*The 40 and 60 I/O point transistor output base units have a 5μs response time for Y002

Dimensions

PLC	X
FX3G-14M□	90
FX3G-24M□	90
FX3G-40M□	130
FX3G-60M□	175
FX3GC-32M□	34

All dimensions in mm



European Offices

Mitsubishi Electric Europe B.V. Gothaer Straße 8 D-40880 Ratingen Phone: +49 (0)2102 / 486-0	Germany	Mitsubishi Electric Europe B.V. 52, bld. 3 Kosmodamianskaya nab 8 floor RU-115054 Moscow Phone: +7 495 / 721 2070	Russia
Mitsubishi Electric Europe B.V.-org.s.l. Radická 75/113e Avenir Business Park CZ-158 00 Praha 5 Phone: +420 (0) 251 / 551 470	Czech Rep.	Mitsubishi Electric Europe B.V. Carretera de Rubí 76-80 Apdo. 420 E-08190 Sant Cugat del Vallés (Barcelona) Phone: +34 (0) 93 / 5653131	Spain
Mitsubishi Electric Europe B.V. 25, Boulevard des Bouvets F-92741 Nanterre Cedex Phone: +33 (0) 1 / 55 68 55 68	France	Mitsubishi Electric Scandinavia Fjellrevägen 8 SE-22736 Lund Phone: +46 (0) 8 625 10 00	Sweden
Mitsubishi Electric Europe B.V. Vale Colicioni 7 Palazzo Sirio I-20864 Agrate Brianza (MB) Phone: +39 039 / 60 53 1	Italy	Mitsubishi Electric Türkiye Şerifali Mahallesi Nutuk Sokak No:5 TR-34775 Ümraniye-İSTANBUL Phone: +90 (0)216 / 526 39 90	Turkey
Mitsubishi Electric Europe B.V. Westgate Business Park, Ballymount IRL-Dublin 24 Phone: +353 (0)1 4198800	Ireland	Mitsubishi Electric Europe B.V. Travellers Lane UK-Hatfield, Herts. AL10 8XB Phone: +44 (0)1707 / 28 87 80	UK
Mitsubishi Electric Europe B.V. ul. Krakowska 50 PL-32-083 Balice Phone: +48 (0) 12 630 47 00	Poland		

Representatives

GEVA Wiener Straße 89 A-2500 Baden Phone: +43 (0)2252 / 85 55 20	Austria	Beijer Electronics A/S Lykægardsvej 17 DK-4000 Roskilde Phone: +45 (0)46 / 75 76 66	Denmark	Beijer Electronics SIA Rīgasmas iela 23 LV-1058 Rīga Phone: +371 (0)6 / 784 2280	Latvia	Sirius Trading & Services Aleea Lacul Morii Nr. 3 RO-060841 Bucuresti, Sector 6 Phone: +40 (0)21 / 430 40 06	Romania	I.C. SYSTEMS Ltd. 23 Al-Saad-Al-Alee St. EG-Sarayut, Maadi, Cairo Phone: +20 (0) 2 / 235 98 548	Egypt
OOO TECHNIKON Prospect Nezavisimosti 177-9 BY-220125 Minsk Phone: +375 (0)17 / 393 1177	Belarus	HANS FOLSGAARD A/S Theligaards Torv 1 DK-4600 Køge Phone: +45 4320 8600	Denmark	Beijer Electronics UAB Geištautų q. 3 LT-48324 Kaunas Phone: +370 37 262707	Lithuania	INEA SR Izetnicka 10 SER-113000 Smederevo Phone: +381 (0)26 / 615 401	Serbia	GIRIT CELADON Ltd. 12 Haomanut Street IL-42505 Netanya Phone: +972 (0)9 / 863 39 80	Israel
ESCO DRIVES Culliganlaan 3 BE-1831 Diegem Phone: +32 (0)2 / 717 64 60	Belgium	Beijer Electronics Eesti OÜ Pärnu mnt.160i EE-11317 Tallinn Phone: +372 (0)6 / 51 81 40	Estonia	ALFATRADE Ltd. 99, Paola Hill Malta-Paola PLA 1702 Phone: +356 (0)21 / 697 816	Malta	SIMPAP s.r.o. Jána Derku 1671 SK-911 01 Trenčín Phone: +421 (0)32 743 04 72	Slovakia	CEG LIBAN Cebaco Center/Block A Autostrade DORA Lebanon-Beirut Phone: +961 (0)1 / 240 445	Lebanon
KONING & HARTMAN B.V. Woluwelaan 31 BE-1800 Wilvoorde Phone: +32 (0)2 / 257 02 40	Belgium	Beijer Electronics OY Vanha Nurmijärventie 62 FIN-01670 Vantaa Phone: +358 (0)207 / 463 500	Finland	INTEHISIS SRL Ild. Traian 23/1 MD-2060 Kishinev Phone: +373 (0)22 / 66 4242	Moldova	INEA RBT d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8116	Slovenia	ADROIT TECHNOLOGIES 20 Waterford Office Park 189 Witkoppen Road ZA-Fourways Phone: +27 (0)11 / 658 8100	South Africa
INEA RBT d.o.o. Stegne 11 SI-1000 Ljubljana Phone: +386 (0)1 / 513 8116	Bosnia and Herzeg.	PROVENDOR OY Teljänkatu 8 A3 FIN-28130 Pori Phone: +358 (0) 2 / 522 3300	Finland	HIFLEX AUTOM. B.V. Wolwevestraat 22 NL-2984 DC Ridderkerk Phone: +373 (0)22 / 66 4242	Netherlands	Beijer Electronics Automation AB Box 426 SE-20124 Malmö Phone: +46 (0)40 / 35 86 00	Sweden		
AKHNATON 4, Andrei Lipachev Blvd., PO Box 21 BG-1756 Sofia Phone: +359 (0)2 / 817 6000	Bulgaria	UTECO A.B.E.E. 5, Mavrogenous Str. GR-18542 Piraeus Phone: +30 (0)211 / 1206-900	Greece	KONING & HARTMAN B.V. Haarlerbergweg 21-23 NL-1101 CH Amsterdam Phone: +31 (0)20 / 587 76 00	Netherlands	OMNI RAY AG Im Schörlis 5 CH-8600 Dübendorf Phone: +41 (0)44 / 802 28 80	Switzerland		
INEA CR Losinjka 4 a HR-10000 Zagreb Phone: +385 (0)1 / 36 940 - 017 -02/ -03	Croatia	MELTRADE Ltd. Fertő utca 14, HU-1107 Budapest Phone: +36 (0)1 / 431-9726	Hungary	Beijer Electronics AS Postboks 487 NO-3002 Drammen Phone: +47 (0)32 / 24 30 00	Norway	OOO "CSC-AUTOMATION" 4-B, M. Raskovoyi St. UA-02660 Kiev Phone: +380 (0)44 / 494 33 44	Ukraine		
KafoCont C.S. S.R.O. Kafkova 1853/3 CZ-702 00 Ostrava 2 Phone: +420 595 691 150	Czech Republic	TOO Kazpromavtomatika Ul. Zhambyla 28 KAZ-100017 Karaganda Phone: +7 7212 / 50 10 00	Kazakhstan	Fonseca S.A. R. João Francisco do Casal 87/89 PT-3801-997 Aveiro, Esqueira Phone: +351 (0)234 / 303 900	Portugal				



Mitsubishi Electric Europe B.V. / FA - European Business Group / Gothaer Straße 8 / D-40880 Ratingen / Germany / Tel.: +49(0)2102-4860 / Fax: +49(0)2102-4861120 / info@mitsubishi-automation.com / www.mitsubishi-automation.com

Art. no. 224743-B / 09.2013 / Specifications subject to change / All trademarks and copyrights acknowledged.



FACTORY AUTOMATION